

33. Pearson, W. R. and Miller, W. (1992) Dynamic programming algorithms for biological sequence comparison. *Methods Enzymol.* **210**, 575–601.
34. Koonin, E. V. and Tatusov, R. L. (1994) Computer analysis of bacterial dehalogenases defines a large superfamily of hydrolases with diverse specificity. *J. Mol. Biol.* **245**, 125–132.
35. Tatusov, R. L. and Koonin, E. V. (1994) A simple tool to search for sequence motifs that are conserved in BLAST outputs. *Comp. Appl. Biosci.* **10**, 457–459.
36. Bairoch, A. and Bucher, P. (1994) PROSITE: recent developments. *Nucleic Acids Res.* **22**, 3583–3589.
37. Dolja, V. V., Boyko, V. P., Agranovsky, A. A., and Koonin, E. V. (1991) Phylogeny of capsid proteins of rod-shaped and filamentous plant RNA viruses: two families with distinct patterns of sequence and probably structure conservation. *Virology* **184**, 79–86.
38. McClure, M. A., Vasi, T. K., and Fitch, W. M. (1994) Comparative analysis of multiple protein-sequence alignment methods. *Mol. Biol. Evol.* **11**, 571–592.
39. Schuler, G. D., Altschul, S. F., and Lipman, D. J. (1991) A workbench for multiple alignment construction and analysis. *Proteins* **9**, 180–190.
40. Gribskov, M., McLachlan, A. D., and Eisenberg, D. (1987) Profile analysis: detection of distantly related proteins. *Proc. Natl. Acad. Sci. USA* **84**, 4355–4358.
41. Gribskov, M., Luthy, R., and Eisenberg, D. (1990) Profile analysis. *Methods Enzymol.* **183**, 146–159.
42. Gribskov, M. (1994) Profile analysis. *Methods Mol. Biol.* **25**, 247–266.
43. Tatusov, R. L., Altschul, S. F., and Koonin, E. V. (1994) Detection of conserved segments in proteins: iterative scanning of sequence databases with alignment blocks. *Proc. Natl. Acad. Sci. USA* **91**, 12,091–12,095.
44. Brown, M., Hughey, R., Krogh, A., Mian, I. S., Sjolander, K., and Haussler, D. (1993) Using Dirichlet mixture priors to derive hidden Markov models for protein families, in *Proceedings of First International Conference on Intelligent Systems for Molecular Biology* (Hunter, L., Searls, D., Shavlik, J., eds.), AAAI, Menlo Park, CA, pp. 47–55.
45. Dolja, V. V. and Koonin, E. V. (1991) Phylogeny of capsid proteins of small icosahedral RNA plant viruses. *J. Gen. Virol.* **72**, 1481–1486.
46. Rossmann, M. G. and Johnson, J. E. (1989) Icosahedral RNA virus structure. *Annu. Rev. Biochem.* **58**, 533–573.
47. Chelvanayagam, G., Heringa, J., and Argos, P. (1992) Anatomy and evolution of proteins displaying the viral capsid jellyroll topology. *J. Mol. Biol.* **228**, 220–242.
48. Kikuno, R., Toh, H., Hayashida, H., and Miyata, T. (1984) Sequence similarity between putative gene products of geminiviral DNAs. *Nature* **308**, 562.
49. Turpen, T. H., Reinl, S. J., Charoenvit, Y., Hoffmann, S. L., Fallarme, V., and Grill, L. K. (1995) Malarial epitopes expressed on the surface of recombinant tobacco mosaic virus. *BioTechnology* **13**, 53–58.
50. Porta, C., Spall, V. E., Loveland, J., Johnson, J. E., Barker, P. J., and Lomonosoff, G. P. (1994) Development of cowpea mosaic virus as a high-yielding system for the presentation of foreign peptides. *Virology* **202**, 949–955.